

AWWA C-509 KS-FW RESILIENT SEATED GATE VALVES

			Back to table of contents.				
FIG 8057 SCREWED ENDS			FIG 8068A FLG X FLG OS&Y	FIG 8561A FLANGED ENDS		FIG 8597 PVC ENDS WITH GASKETS	
SIZE	PRICE	WEIGHT		PRICE	WEIGHT	PRICE	WEIGHT
2"	\$714.00	20#	See UL/FM	\$732.00	42#	\$761.00	35#
2 1/2"	\$884.00	34#	price book for	\$874.00	49#	\$1,043.00	44#
3"	\$1,053.00	47#	and discount for	\$1,038.00	62#	\$1,112.00	54#
4"			2 1/2" - 12"	\$1,160.00	99#	\$1,273.00	84#
6"			gate valves.	\$1,550.00	142#	\$1,648.00	138#
8"				\$2,423.00	239#	\$2,598.00	224#
10"				\$3,850.00	409#		
12"				\$4,649.00	554#		

FIG 8571 MJ X MJ WITH ACCESS			FIG 8571 MJ X MJ LESS ACCESS		FIG 8572 FLG X MJ WITH ACCESS		FIG 8572 FLG X MJ LESS ACCESS	
SIZE	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT
2"	\$835.00	46#	\$740.00	36#				
3"	\$1,094.00	69#	\$1,048.00	59#	\$1,017.00	65#	\$994.00	60#
4"	\$1,251.00	102#	\$1,170.00	86#	\$1,191.00	88#	\$1,117.00	90#
6"	\$1,620.00	158#	\$1,493.00	134#	\$1,563.00	146#	\$1,493.00	134#
8"	\$2,520.00	237#	\$2,378.00	207#	\$2,435.00	229#	\$2,333.00	214#
10"	\$3,917.00	387#	\$3,708.00	351#	\$3,831.00	382#	\$3,708.00	365#
12"	\$4,951.00	523#	\$4,692.00	473#	\$4,738.00	522#	\$4,477.00	497#

FIG 8576 CUTTING-IN WITH ACCESS			FIG 8576 CUTTING-IN LESS ACCESS		FIG 8950 MJ X FLG TAP - WITH ACCESS		FIG 8950 MJ X FLG TAP - LESS ACCESS	
SIZE	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT
4"	\$1,649.00	103#	\$1,614.00	87#	\$1,563.00	101#	\$1,476.00	93#
6"	\$2,243.00	158#	\$2,204.00	134#	\$2,166.00	155#	\$2,085.00	145#
8"	\$3,478.00	237#	\$3,430.00	207#	\$3,213.00	240#	\$3,095.00	225#
10"	\$5,148.00	387#	\$4,920.00	351#	\$4,810.00	411#	\$4,667.00	393#
12"	\$6,496.00	523#	\$6,210.00	473#	\$7,352.00	553#	\$7,050.00	528#

FIG 8067 SCREWED END OS&Y					
SIZE	PRICE	WEIGHT			
2"	\$912.00	30#			
2 1/2"	\$1,144.00	50#			
3"	\$1,332.00	70#			

Figure 8057 Furnished with operating nut unless wheel is specified.

Figure 8561A Furnished with wheel unless operating nut is specified

and does not include bolts, nuts & gaskets for flange side.

All other NRS figure numbers furnished with operating nuts.

AWWA C-509 KS-FW RESILIENT SEATED GATE VALVES

[Back to table of contents.](#)

FIG 8901 SLIP JT X SLIP JT (TYTON) LESS GASKETS			FIG 8901 SLIP JT X SLIP JT (TYTON) WITH GASKETS		
SIZE	PRICE	WEIGHT	SIZE	PRICE	WEIGHT
4"	\$1,201.00	82#	4"	\$1,275.00	83#
6"	\$1,581.00	139#	6"	\$1,648.00	141#
8"	\$2,402.00	217#	8"	\$2,627.00	221#
10"	\$3,880.00	359#	10"	\$4,017.00	363#
12"	\$4,863.00	501#	12"	\$5,028.00	505#

FIG 8902 SLIP JT X FLG (TYTON) LESS GASKETS			FIG 8902 SLIP JT X FLG (TYTON) WITH GASKETS		
SIZE	PRICE	WEIGHT	SIZE	PRICE	WEIGHT
4"	\$1,180.00	85#	4"	\$1,210.00	86#
6"	\$1,555.00	139#	6"	\$1,599.00	140#
8"	\$2,458.00	220#	8"	\$2,515.00	222#
10"	\$3,865.00	372#	10"	\$3,934.00	376#
12"	\$4,756.00	514#	12"	\$4,840.00	518#

TYTON GASKET PART CODES	
4"	441875P
6"	441879P
8"	441881P
10"	441883P
12"	441885P

PALLET QUANTITIES				
SIZE	NRS WITH WHEEL	NRS WITH NUT	OS&Y	CHECK VALVES
2"	36	84	N/A	36
2 1/2"	36	56	36	30
3"	30	36	30	20
4"	30	30	24	12
6"	16	16	10	9
8"	8	8	8	4
10"	6	6	6	4
12"	4	6	4	4

AWWA C515--DUCTILE IRON--RESILIENT SEATED GATE VALVES

MODEL NUMBER -- "KS-RW"

[Back to table of contents.](#)

[Next C515 F](#)

SIZE	FIG 7571 MJ X MJ WITH ACCESS		FIG 7571 MJ X MJ LESS ACCESS		FIG 7572 FLG X MJ WITH ACCESS		FIG 7572 FLG X MJ LESS ACCESS	
	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT
2"	\$835.00	47#	\$740.00	37#	N/A		N/A	
3"	\$1,094.00	68#	\$1,048.00	58#	\$1,017.00	60#	\$955.00	55#
4"	\$1,251.00	86#	\$1,170.00	70#	\$1,191.00	83#	\$1,117.00	75#
6"	\$1,620.00	134#	\$1,493.00	110#	\$1,563.00	123#	\$1,493.00	111#
8"	\$2,520.00	203#	\$2,378.00	173#	\$2,435.00	195#	\$2,333.00	180#
10"	\$3,917.00	323#	\$3,708.00	287#	\$3,831.00	334#	\$3,708.00	316#
12"	\$4,951.00	412#	\$4,692.00	362#	\$4,738.00	423#	\$4,477.00	398#
14"	\$15,321.00		\$14,499.00		\$14,910.00		\$14,499.00	
16"	\$16,624.00		\$15,728.00		\$16,176.00		\$15,728.00	
18"	\$27,342.00		\$25,744.00		\$26,543.00		\$25,744.00	
20"	\$32,647.00		\$30,918.00		\$31,784.00		\$30,918.00	
24"	\$46,602.00		\$43,962.00		\$45,279.00		\$43,962.00	
30"	POA		POA		POA		POA	
36"	POA		POA		POA		POA	
42"	POA		POA		POA		POA	
48"	POA		POA		POA		POA	
54"	POA		POA		POA		POA	

► **NOTE:** Gearing is **recommended** for Valves 18" to 24".
Valves 30" and above **require** gearing for proper operation.

SIZE	FIG 7576 CUTTING-IN WITH ACCESS		FIG 7576 CUTTING-IN LESS ACCESS		FIG 7950 MJ X FLG TAP - WITH ACCESS		FIG 7950 MJ X FLG TAP - LESS ACCESS	
	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT
4"	\$1,649.00	86#	\$1,614.00	70#	\$1,561.00	94#	\$1,475.00	86#
6"	\$2,243.00	134#	\$2,204.00	110#	\$2,165.00	186#	\$2,084.00	112#
8"	\$3,478.00	203#	\$3,430.00	173#	\$3,213.00	192#	\$3,095.00	177#
10"	\$5,148.00		\$4,920.00		\$4,810.00	320#	\$4,667.00	302#
12"	\$6,496.00		\$6,210.00		\$7,351.00	411#	\$7,050.00	386#
14"					\$16,597.00		\$16,187.00	
16"					\$18,849.00		\$18,356.00	
18"					\$31,277.00		\$30,478.00	
20"					\$37,666.00		\$36,800.00	
24"					\$51,259.00		\$49,941.00	

► **NOTE:** Gearing is **recommended** for valves 18" to 24".
Valves 30" and above **require** gearing for proper operation.

RESILIENT SEAT GATE VALVE GEARING ONLY for NON-RISING STEM GATE VALVES			
ENCLOSED BEVELED		ENCLOSED SPUR	
14" - 16"	\$4,933.00	14" - 16"	\$4,734.00
18"	\$5,866.00	18"	\$5,445.00
20"	\$5,866.00	20"	\$5,445.00
24"	\$6,583.00	24"	\$6,355.00

AWWA C515--DUCTILE IRON--RESILIENT SEATED GATE VALVES

MODEL NUMBER -- "KS-RW"

[Previous C515 Page](#)

[Back to table of contents.](#)

[Next C515 Page](#)

SIZE	FIG 7057 SCREWED ENDS		FIG 7566 FLG X FLG OS&Y	
	PRICE	WEIGHT	PRICE	
2"	\$714.00	20#		
2 1/2"	\$884.00	40#		
3"	\$1,053.00	46#		
4"				
6"				
8"				
10"				
12"				
14"			\$20,660.00	
16"			\$25,599.00	
18"			\$28,821.00	
20"			\$36,179.00	
24"			\$49,993.00	

SIZE	*FIG 7561A FLANGED ENDS		FIG 7592ABF FLG X GRV NRS		FIG 7593ABF GRV X GRV NRS		FIG 7597 PVC W/GASKETS	
	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT
2"	\$732.00	42#					\$761.00	35#
2 1/2"	\$874.00	52#	\$874.00	44#	\$874.00	44#	\$1,043.00	44#
3"	\$1,038.00	68#	\$1,038.00	55#	\$1,038.00	54#	\$1,112.00	54#
4"	\$1,160.00	82#	\$1,160.00	77#	\$1,160.00	74#	\$1,273.00	70#
6"	\$1,550.00	126#	\$1,549.00	119#	\$1,549.00	107#	\$1,648.00	112#
8"	\$2,423.00	201#	\$2,423.00	176#	\$2,423.00	145#	\$2,598.00	178#
10"	\$3,850.00	358#						
12"	\$4,649.00	449#						
14"	\$14,499.00							
16"	\$15,728.00							
18"	\$25,744.00							
20"	\$30,918.00							
24"	\$43,962.00							
30"	POA							
36"	POA							
42"	POA							
48"	POA							
54"	POA							

- ▶ **NOTE:** Gearing is **recommended** for valves 18" to 24".
Valves 30" and above **require** gearing for proper operation.
- ▶ **NOTE:** Figure number 7561 in sizes 14" - 48" get no tap in the body.

*All 2 1/2" through 12" 7561A Valves are Tapped & Plugged at the 'A' Position
(2 1/2" - 4" are 1/2" Taps) (6" - 12" are 3/4" Taps)

Figure 7561A is Furnished with a handwheel unless operating nut is specified and does not include bolts, nuts & gaskets for flange side. All other NRS figure numbers furnished with operating nuts.

RESILIENT SEAT GATE VALVE GEARING ONLY for NON-RISING STEM GATE VALVES			
ENCLOSED BEVELED		ENCLOSED SPUR	
14" - 16"	\$4,933.00	14" - 16"	\$4,734.00
18"	\$5,866.00	18"	\$5,446.00
20"	\$5,866.00	20"	\$5,446.00
24"	\$6,584.00	24"	\$6,356.00

AWWA C515--DUCTILE IRON--RESILIENT SEATED GATE VALVES

MODEL NUMBER -- "KS-RW"

Previous C515 Page

[Back to table of contents.](#)

SIZE	FIG 7901 SLIP JT X SLIP JT (TYTON) LESS GASKETS		FIG 7901 SLIP JT X SLIP JT (TYTON) WITH GASKETS		FIG 7902 SLIP JT X FLG (TYTON) LESS GASKETS		FIG 7902 SLIP JT X FLG (TYTON) WITH GASKETS	
	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT	PRICE	WEIGHT
4"	\$1,202.00	77#	\$1,275.00	78#	\$1,180.00	83#	\$1,210.00	84#
6"	\$1,581.00	124#	\$1,648.00	126#	\$1,555.00	124#	\$1,599.00	125#
8"	\$2,401.00	188#	\$2,628.00	192#	\$2,458.00	188#	\$2,515.00	190#
10"	\$3,880.00	311#	\$4,017.00	315#	\$3,865.00	313#	\$3,934.00	317#
12"	\$4,863.00	424#	\$5,028.00	428#	\$4,756.00	440#	\$4,840.00	444#
14"	\$15,997.00		\$16,302.00					
16"	\$16,302.00		\$16,451.00					

► NOTE: Gearing is recommended for valves 18" to 24"
Valves 30" and above require gearing for prper operation

AWWA C515 -- DUCTILE IRON -- HDPE ENDS -- RESILIENT SEATED GATE VALVES

MODEL NUMBER -- "KS-RW"

IPS & DIPS 09			IPS & DIPS 11		
SIZE	PRICE	WEIGHT	SIZE	PRICE	WEIGHT
2"	\$991.00	45#	2"	\$1,041.00	45#
3"	\$1,401.00	55#	3"	\$1,441.00	55#
4"	\$1,551.00	68#	4"	\$1,601.00	68#
6"	\$2,041.00	133#	6"	\$2,105.00	133#
8"	\$3,335.00	222#	8"	\$3,383.00	222#
10"	\$5,763.00	385#	10"	\$5,757.00	385#
12"	\$8,015.00	493#	12"	\$8,131.00	493#

AWWA C515--250 LB FLANGE DUCTILE IRON--RESILIENT SEATED GATE VALVES

MODEL NUMBER -- "KS-RW"

FIG 5058 FLANGED END NRS		
SIZE	PRICE	WEIGHT
▼ See UL/FM price book for 250# OS&Y gate valves		
2 1/2"	\$2,200.00	79#
3"	\$2,200.00	79#
4"	\$2,710.00	99#
6"	\$3,982.00	167#
8"	\$5,426.00	253#
10"	\$7,492.00	415#
12"	\$10,824.00	533#

**RESILIENT SEAT GATE VALVE GEARING ONLY
for NON-RISING STEM GATE VALVES**

ENCLOSED BEVELED		ENCLOSED SPUR	
14" - 16"	\$4,933.00	14" - 16"	\$4,734.00
18"	\$5,866.00	18"	\$5,446.00
20"	\$5,866.00	20"	\$5,446.00
24"	\$6,584.00	24"	\$6,356.00

RESILIENT WEDGE GATE VALVE OPTIONAL EQUIPMENT

[Back to table of contents.](#)

NOTE: The following items are special and will be priced on application:
Tagging, documentation, epoxy coating, limit switches, flanged protectors,
end flange accessories, power operators (electric or cylinder), palletizing,
export crating, and hand wheels on NRS valves other than flanged or screw end.

Add to list price of valve for <u>each</u> tapped hole in PERMANENT BOSS		
2" through 4"	\$37.00	Prices for valves NOT furnished with permanent Boss are priced on application.
6" and 8"	\$37.00	
10" and 12"	\$37.00	
14" and larger	\$37.00	

Refer to catalog for maximum size taps and locations

LIST PRICE ADDERS:

STAINLESS STEEL BOLTS & NUTS	
SIZE	316SS
2" - 4"	\$99.00
6"	\$99.00
8"	\$189.00
10"	\$231.00
12"	\$322.00
14"	\$492.00
16"	\$492.00
18"	\$821.00
20"	\$880.00
24"	\$1,922.00
30"	POA
36"	POA